$\mathbf{B}Y$

FEMA Form 81-31, AUG 96

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY

O.M.B. No. 3067-0077 Expires July 31, 1999

NATIONAL FLOOD INSURANCE PROGRAM ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

	Instructions for	completing th	nis form can be found o	n the following p	pages.			
	SECTION A PI	ROPERTY INF	ORMATION		FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME	POLICY NUMBER							
STREET ADDRESS (Including A	ROYAL PARK CONDO APTS. INC STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 104 ROYAL PARK DR							
OTHER DESCRIPTION (Lot and			3309					
CITY				STATE	ZIP CODE			
	SECTION B F	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION				
Provide the following from the			<u> </u>					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	E BASE CLOOD SUCCESSION			
120050	0208	F			6. BASE FLOOD ELEVATION (In AO Zones, use depth)			
7. Indicate the elevation date			2 OCT 97	AE.	6.0			
8. For Zones A or V, where in the community's BFE:	feet N	GVD (or other	d the community has esta FIRM datum-see Section	iblished a BFE fo	or this building site, indicate			
	SECTIO	NC BUILDIN	IG ELEVATION INFORM	ATION				
 (b) FIRM Zones V1-V30, VI the selected diagram, is (c) FIRM Zone A (without B below (check one) to 	at an elevation of FE). The floor used	as the reference	leet NGVD (or other FIRM e level from the selected	A datum-see Sec	tion B, Item 7).			
(d). FIRM Zone AO. The flor one) the highest grade a level) elevated in accord- Indicate the elevation datum	or used as the refere djacent to the buildin ance with the commun system used in det	nce level from g. If no flood d Inity's floodplai ermining the al	the selected diagram is the selected diagram is the lepth number is available, in management ordinance pove reference level elevations.	, is the building's 의 기가 Yes 기가 NGVD	lowest floor (reference			
under Comments on Page the FIRM [see Section B, equation under Comments	2). (NOTE: If the ele tem 7], then convert	avation datum i	ised in measuring the ele	vatione ie diffora	at than that wood on			
Elevation reference mark us	ed appears on FIRM	i: 🗌 Yes 🗷	No (See Instructions on I	Page 4)				
The reference level elevation (NOTE: Use of construction case this certificate will only will be required once constru	drawings is only val be valid for the buildi	lid if the buildin	g does not vet have the re	eference level fla	or in place, in which n Elevation Certificate			
The elevation of the lowest g Section B, Item 7).	rade immediately ac	ljacent to the b	uilding is: 1116.	i feet NGVD (or	other FIRM datum-see			
	SECT	TION D COM	MUNITY INFORMATION	·				
If the community official resp is not the "lowest floor" as de floor" as defined by the ordina Date of the start of construction	ance is:	ity's floodplain	management ordinance.	the elevation of t	he building's "lowest			

REPLACES ALL PREVIOUS FORTIONS

CEE BEVÆDER

1010


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

		, ·	4029				
CERTIFIER'S NAME VICE PRESIDNET	ALL COUR	LICE ITY SURVI	NSE NUMBER (or A	fix Seal)		-	
5950 W. OAKLAND PARK BLVD #108		MY NAME LUDERHILL	·	Ļ	FL	33313	
ADDRESS Stuges	CITY	torx	4-22-98	(954)7	STATE 77-4747	····	ZIP
SIGNATURE		•	DATE	PHONE			
Copies should be made of this Certificate for: COMMENTS: FILE # 0233							
· · · · · · · · · · · · · · · · · · ·							
	·	Monday	·		<u>-</u>		
			Andrea				
	· 						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all Vizones should be measured at the bottom of the lowest horizontal structural member.

BY: 17 7003

MARK STIRCTS