CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

This Mitigation Inspection Form must be completed to capture mitigation features applicable to a Type II (4 to 6 story) or Type III (7 or more story) building. This Inspection Form is required for either residential condominium unit owners or commercial residential applicants requesting mitigation credits in such buildings.

WIND LOSS MITIGATION INFORMATION

PREMISES #:	SUBJECT OF INSURANCE Royal Park Condominium Apartments, Inc POLICY #:						
BUILDING #:	STREET ADDRESS: 119 ROYAL PARK DR, OAKLAND PARK, FL. 33309						
# STORIES: 4	BLDG DESCRIPTION: Mid-Rise						
BUILDING TYPE	: Il (4 to 6 stories) Ill (7 or more stories)						
Terrain Exposur	re Category must be provided for each insured location.						
I hereby certify that the building or unit at the address indicated above TERRAIN EXPOSURE CATEGORY as defined under the Florida Building Code is (Check One): Exposure C or Exposure B							
Certification below premises.	for purposes of TERRAIN EXPOSURE CATEGORY above does not require personal inspection of the						
Certification of N Built On or After Jai	Wind Speed is required to establish the basic wind speed of the location (Complete for Terrain B only if Year n.1, 2002).						
	that the basic WIND SPEED of the building or unit at the address indicated above based upon county wind under the Florida Building Code (FBC) is (Check One): ☐ ≥100 or ☐ ≥110 or ■ ≥120						
Certification of design established	Wind Design is required when the buildings is constructed in a manner to exceed the basic wind speed for the structure location (Complete for Terrain B only if Year Built On or After Jan.1, 2002).						
	that the building or unit at the address indicated above is designed and mitigated to the Florida Building Code IGN of (Check One): ☐ ≥100 or ☐ ≥110 or ■ ≥120						
Certification for the inspection of the pre	purpose of establishing the basic WIND SPEED or WIND SPEED DESIGN above does not require personal emises.						
Specify the type of m	nitigation device(s) installed:						
	ntation used in validating the compliance or existence of each construction or mitigation attribute must						
	At least one photo documenting the existence of each visible and accessible construction or mitigation ctions 1 through 4 must accompany this form.						
1. Roof	Coverings						
Roof Covering Mate	Prial: Built Up Date of Installation: 01-25-2007						
	evel A (Non FBC Equivalent) - Type II or III Permit #: 2007010460						
One or more roof coverings that do not meet the FBC Equivalent definition requirements below.							
. □	evel B (FBC Equivalent) – Type II or III						

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

Royal Park Condo Association

Single-Ply, Modified Bitumen, Sprayed Polyurethane foam, Metal, Tile, Built-up, Asphalt Shingle or Rolled Roofing, or other roof covering membranes/products that at a minimum meet the 2001 or later Florida Building Code or the 1994 South Florida Building Code and have a Miami-Dade NOA or FBC 2001 Product Approval listing that is/was current

All mechanical equipment must be adequately tied to the roof deck to resist overturning and sliding during high winds. Any flat roof covering with flashing or coping must be mechanically attached to the structure with face fasteners (no clip/cleat systems), and asphalt roof coverings on flat roofs must be 10 years old or less.

MIT-BT II & III (6/1/18)

at the time of installation.

CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

2.	Roc	of Deck Attachment				
		Level A - Wood or Other Deck Type II only				
		Roof deck composed of sheets of structural panels (plywood or OSB). Or				
		Architectural (non-structural) metal panels that require a solid decking to support weight and loads. Or				
		Other roof decks that do not meet Levels B or C below.				
		Level B - Metal Deck Type II or III				
		Metal-roof-deck made of structural panels fastened to open-web steel bar joists and integrally attached to the wall-				
		Level C – Reinforced Concrete Roof Deck Type, II or III				
		A roof structure composed of cast-in-place or pre-cast structural concrete designed to be self-supporting and integrally attached to wall/support system.				
3.	Sec	condary Water Resistance				
		Underlayment A self-adhering polymer modified bitumen roofing underlayment (thin rubber sheets with peel and stick underside located beneath the roof covering and normal felt underlayment) with a minimum width of 6" meeting the requirements of ASTM D 1970 installed over all plywood/OSB joints to protect from water intrusion. All secondary water resistance products must be installed per the manufacturer's recommendations. Roofing felt or similar paper based products are not acceptable for secondary water resistance.				
		Foamed Adhesive				
		A foamed polyurethane sheathing adhesive applied over all joints in the roof sheathing to protect interior from water intrusion.				
4.	Оре	Opening Protection				
		Class A (Hurricane Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of:				
		□SSTD12;				
		☐ ASTM E 1886 and ASTM E 1996;				
		☐ Miami-Dade PA 201, 202, and 203;				
		☐Florida Building Code TAS 201, 202 and 203.				
		All glazed openings less than 30 feet above grade shall meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High Velocity Hurricane Zone) all glazed openings greater than 60 feet above grade must also meet the Small Missile Test of the respective standard.				
		Class B (Basic Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (4.5 lb.) impact requirements of:				
		☐ ASTM E 1886 and ASTM E 1996				
		All glazed openings less than 30 feet above grade shall meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High Velocity Hurricane Zone) all glazed openings greater than 60 feet above grade must also meet the Small Missile Test of the respective standard.				

Royal Park Condo Association

02-22-2024

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

CERTIFICATION

I certify that I hold an	active license as a: (CHECK C	ONE OF THE FO	LLOWING	3)		
General or buildin	g contractor licensed under Se	ection 489.111,	Florida St	atutes.		
☐ Building code ins	pector certified under Section	468.607, Florida	a Statutes			
☐ Professional archi	tect licensed under Section 48	31.213, Florida \$	Statutes.			
☐ Professional engir	neer licensed under Section 47	′1.015, Florida \$	Statutes.			
	nally inspected the premises at the L m. In my professional opinion, base correct.					
structural or physical char to receive a property inso other purpose. The unde nothing in this Form shal	n Form and the information set for racteristics exist at the Location Addrurance premium discount on insural risigned does not make a health or I be construed to impose on the uny nature to the named insured or to a	ress listed above a nce provided by C safety certification dersigned or on a	ind for the p Citizens Pro n or warrant ny entity to	urpose of perm perty Insurance ty, express or in	itting the Named Insured Corporation and for no mplied, of any kind, and	
arme of Company: Tri-County Engineering & Inspections, Inc					54-767-5955 561-880-7930 305	5-747-9445
lame of Inspector	William Scott Pluto	_ License Type	CGC	License #	1507049	
nspection Date:	02-22-2024	_				
Signature:	1-18/6			Date:	02-22-2024	
Applicant /Insured's Signature *:				Date:		
	ature must be from the Board or an officer of the named insured				board for condo and	
	gly and with intent to injure, def false, incomplete, or misleading in					
	Ro	oyal Park Coi	ndo Ass	ociation		
	11:	9 ROYAL PA	ARK DR	, OAKLANI	D PARK, FL. 33309	

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.



Ron DeSantis, Governor

Melanie S. Griffin, Secretary

STATE OF FLORIDA DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION CONSTRUCTION INDUSTRY LICENSING BOARD

LICENSE NUMBER: CGC1507049

EXPIRATION DATE: AUGUST 31, 2024

THE GENERAL CONTRACTOR HEREIN IS CERTIFIED UNDER THE PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

PLUTO, WILLIAM SCOTT
TRI-COUNTY ENGINEERING & INSPECTIONS, INC.
1007 N FEDERAL HWY
SUITE 224
FORT LAUDERDALE FL 33304

ISSUED: 08/20/2022

Always verify licenses online at MyFloridaLicense.com. Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.

119 ROYAL PARK DR OAKLAND PARK FL 33309

Applied date:

Completed date: Jul 10, 2007

Issued date:

Status date:

Jan 25, 2007

Jan 29, 2007

Jan 29, 2007

Permit Details

Permit #: 2007010460

Permit ROOFING

Type:

Description: REROOF FLAT CONCRETE DECK PER JM3-GIG,

VENSULATION BASE -MOP ASPHA, ASPHALT

TYPE 3 FLOOD COATW/GRAVEL

Permit class: Residential Permit FINAL

status:

Job Cost: \$ 64,943.00

Contractors

EDWARD GRANT CAMPANY (CAMPANY ROOFING INC.)

CAMPANY ROOFING INC. 801 SAN ANTONIO DRIVE PALM CITY FL 34990-5971 CERT#: 22111 PHONE: (;

Inspections

1007 North Federal Hwy Suite 224 Fort Lauderdale, Florida 33304

Dade 305-747-9445 | Broward 954-767-5955 | Palm Beach 561-880-7930 info@tricountyinspection.com





1007 North Federal Hwy Suite 224 Fort Lauderdale, Florida 33304

Dade 305-747-9445 | Broward 954-767-5955 | Palm Beach 561-880-7930 info@tricountyinspection.com





1007 North Federal Hwy Suite 224 Fort Lauderdale, Florida 33304

Dade 305-747-9445 | Broward 954-767-5955 | Palm Beach 561-880-7930 info@tricountyinspection.com