CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

This Mitigation Inspection Form must be completed to capture mitigation features applicable to a Type II (4 to 6 story) or Type III (7 or more story) building. This Inspection Form is required for either residential condominium unit owners or commercial residential applicants requesting mitigation credits in such buildings.

WIND LOSS MITIGATION INFORMATION

PREMISES #:		SUBJECT OF INSURANCE Royal Park Condominium Apartments, Inc POLICY #:						
BUILDING #:		STREET ADDRESS: 121 ROYAL PARK DR, OAKLAND PARK, FL. 33309						
# STORIES:	4	BLDG DESCRIPTION: Mid-Rise						
BUILDING TY	PE:	II (4 to 6 stories) III (7 or more stories)						
Terrain Expos	sure C	category must be provided for each insured location.						
I hereby certify that the building or unit at the address indicated above TERRAIN EXPOSURE CATEGORY as defined under the Florida Building Code is (Check One): Exposure C or Exposure B								
Certification belinger	ow for	purposes of TERRAIN EXPOSURE CATEGORY above does not require personal inspection of the						
Certification of Built On or After		d Speed is required to establish the basic wind speed of the location (Complete for Terrain B only if Year 2002).						
I hereby certify that the basic WIND SPEED of the building or unit at the address indicated above based upon county wind speed lines defined under the Florida Building Code (FBC) is (Check One): ☐ ≥100 or ☐ ≥110 or ☐ ≥120								
Certification of Wind Design is required when the buildings is constructed in a manner to exceed the basic wind speed design established for the structure location (Complete for Terrain B only if Year Built On or After Jan.1, 2002).								
I hereby certify that the building or unit at the address indicated above is designed and mitigated to the Florida Building Code (FBC) WIND DESIGN of (Check One): ☐ ≥100 or ☐ ≥110 or ☐ ≥120								
Certification for the purpose of establishing the basic WIND SPEED or WIND SPEED DESIGN above does not require personal inspection of the premises.								
Specify the type of mitigation device(s) installed: NOTE: Any documentation used in validating the compliance or existence of each construction or mitigation attribute must accompany this form. At least one photo documenting the existence of each visible and accessible construction or mitigation attribute marked in Sections 1 through 4 must accompany this form.								
		verings						
Roof Covering Ma	ateria	: Built Up Date of Installation: 02-02-2011						
		Permit #: 2011020020						
One or more roof coverings that do not meet the FBC Equivalent definition requirements below.								
	Leve	el B (FBC Equivalent) – Type II or III						

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

Royal Park Condo Association

Single-Ply, Modified Bitumen, Sprayed Polyurethane foam, Metal, Tile, Built-up, Asphalt Shingle or Rolled Roofing, or other roof covering membranes/products that at a minimum meet the 2001 or later Florida Building Code or the 1994 South Florida Building Code and have a Miami-Dade NOA or FBC 2001 Product Approval listing that is/was current

All mechanical equipment must be adequately tied to the roof deck to resist overturning and sliding during high winds. Any flat roof covering with flashing or coping must be mechanically attached to the structure with face fasteners (no clip/cleat systems), and asphalt roof coverings on flat roofs must be 10 years old or less.

MIT-BT II & III (6/1/18)

at the time of installation.

CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

2.	Roof Deck Attachment						
	Level A – Wood or Other Deck Type II only						
	Roof deck composed of sheets of structural panels (plywood or OSB).						
	Or						
	Architectural (non-structural) metal panels that require a solid decking to support weight and loads. Or						
	Other roof decks that do not meet Levels B or C below.						
	Level B - Metal Deck Type II or III						
	Metal roof deck made of structural panels fastened to open-web steel bar joists and integrally attached to the wall.						
	■ Level C – Reinforced Concrete Roof Deck Type, II or III						
	A roof structure composed of cast-in-place or pre-cast structural concrete designed to be self-supporting integrally attached to wall/support system.						
3.	Secondary Water Resistance						
	Underlayment A self-adhering polymer modified bitumen roofing underlayment (thin rubber sheets with peel and stick underside located beneath the roof-covering and normal felt underlayment) with a minimum width of 6" meeting the requirements of ASTM D 1970 installed over all plywood/OSB joints to protect from water intrusion. All secondary water resistance products must be installed per the manufacturer's recommendations. Roofing felt or similar paper based products are not acceptable for secondary water resistance.						
1	Foamed Adhesive						
	A feamed polyurethane sheathing adhesive applied over all joints in the roof sheathing to protect interior from water intrusion.						
l.							
4.	Opening Protection						
	Class A (Hurricane Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of:						
	□SSTD12;						
	☐ASTM E 1886 and ASTM E 1996;						
	☐ Miami-Dade PA 201, 202, and 203;						
	Florida Building Code TAS 201, 202 and 203.						
	All glazed openings less than 30 feet above grade shall meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High Velocity Hurricane Zone) all glazed openings greater than 60 feet above grade must also meet the Small Missile Test of the respective standard.						
	Class B (Basic Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (4.5-lb.) impact requirements of: ASTM E 1886 and ASTM E 1996						
	All glazed openings less than 30 feet above grade shall meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High Velocity Hurricane Zone) all glazed openings greater than 60 feet above						

Royal Park Condo Association

02-22-2024

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

CERTIFICATION

I certify that I hold a	n active license as a: (CHEC	CK ONE OF THE FO	LLOWIN	G)		
General or building	ng contractor licensed unde	er Section 489.111,	Florida S	tatutes.		
☐ Building code ins	spector certified under Sect	ion 468.607, Florida	a Statutes	S.		
☐ Professional arch	nitect licensed under Sectio	n 481.213, Florida \$	Statutes.			
☐ Professional engi	ineer licensed under Sectio	n 471.015, Florida \$	Statutes.			
	nally inspected the premises at t rm. In my professional opinion, correct.					
structural or physical cha to receive a property ins other purpose. The und nothing in this Form sha	on Form and the information se aracteristics exist at the Location surance premium discount on in- ersigned does not make a healt all be construed to impose on the my nature to the named insured o	Address listed above a surance provided by C h or safety certification e undersigned or on a	nd for the positivens Prono n or warrar ny entity to	purpose of permoperty Insurance on its output of the permonents of	itting the Named Insured e Corporation and for no mplied, of any kind, and	
Name of Company:	Tri-County Engineering & Inspections, Inc			Phone: 95	54-767-5955 561-880-7930	305-747-9445
Name of Inspector	William Scott Pluto	License Type	CGC	License #	1507049	
Inspection Date:	02-22-2024					
Signature:	1-1846			Date:	02-22-2024	
Applicant /Insured's Signature *:				Date:		
	nature must be from the Bo s or an officer of the named ins				board for condo and	
	ngly and with intent to injure, false, incomplete, or misleadir					
		Royal Park Cor	ndo Ass	ociation		
		121 ROYAL PA	ARK DR	, OAKLANI	D PARK, FL. 33309	

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.



Ron DeSantis, Governor

Melanie S. Griffin, Secretary

STATE OF FLORIDA DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION CONSTRUCTION INDUSTRY LICENSING BOARD

LICENSE NUMBER: CGC1507049

EXPIRATION DATE: AUGUST 31, 2024

THE GENERAL CONTRACTOR HEREIN IS CERTIFIED UNDER THE PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

PLUTO, WILLIAM SCOTT
TRI-COUNTY ENGINEERING & INSPECTIONS, INC.
1007 N FEDERAL HWY
SUITE 224
FORT LAUDERDALE FL 33304

ISSUED: 08/20/2022

Always verify licenses online at MyFloridaLicense.com

Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.

121 ROYAL PARK DR OAKLAND PARK FL 33309

Permit Details

Permit #: 7011020020

ROOFING Applied date: Feb 02, 2011 Permit Type: Description: RE-ROOF FLAT Issued date: Feb 02, 2011 Permit class: Residential Completed date: Apr 05, 2011 Permit status: FINAL Status date: Feb 02, 2011 Job Cost: \$ 52,020.00

Contractors

MAINLAND CONSTRUCTION CO INC, HIALEAH, FL
JOSE EDUARDO VAZQUEZ (MAINLAND CONSTRUCTION CO INC) ,HIALEAH, FL

Inspections

Mar 02, 2011 TIN TAG IN PROGRESS DISAPPROVED - REINSP FEE RQD STRUCTURAL
Mar 03, 2011 TIN TAG IN PROGRESS PARTIAL, APPROVED STRUCTURAL
Mar 07, 2011 FLAT ROOF IN PROGRESS APPROVED STRUCTURAL
Mar 07, 2011 TIN TAG IN PROGRESS APPROVED STRUCTURAL

1007 North Federal Hwy Suite 224 Fort Lauderdale, Florida 33304

Dade 305-747-9445 | Broward 954-767-5955 | Palm Beach 561-880-7930 info@tricountyinspection.com





1007 North Federal Hwy Suite 224 Fort Lauderdale, Florida 33304

Dade 305-747-9445 | Broward 954-767-5955 | Palm Beach 561-880-7930 info@tricountyinspection.com





1007 North Federal Hwy Suite 224 Fort Lauderdale, Florida 33304

Dade 305-747-9445 | Broward 954-767-5955 | Palm Beach 561-880-7930 info@tricountyinspection.com